

## **NDWS Pickup Pull Registration**

Call Royce @ 701-840-0522 – leave a message or text

**Must be pre-registered by March 4<sup>th</sup> - No later!**

Only 30 hooks - \$20/hook (2 per truck)

Check In March 6<sup>th</sup> 3:30-5pm (on site) – **5pm deadline for check in, no exceptions!**



## **Weigh in 3:30—5pm**

All trucks must weigh-in (will not be able to pull without).

Weight posted on windshield.

Will be put in class after weigh-in.

Scale will be in north lot – (No unloading or parking in NDWS main lots).

Will be running V-8 tractors during pickup pull.

## **Classes for Pickup Pull:**

### Stock:

6500lb and under

6501lb and over

### Street Stock:

6500lb and under

6501lb and over

### Pro Stock:

6000lb

6500lb

### Super Stock:

6000lb

6500lb

# Stock Truck Rules and Regulations

## GENERAL RULES

1. Must be legally licensed and insured time of sign up.
2. Trucks cannot be gutted or stripped.
3. Safety
  - A. Seat belts must be worn at time of pull.
  - B. Helmets and long pants are required.
  - C. Driver's side window must be down at all times while vehicle is on track and while pulling.
  - D. Absolutely no riders in or outside of the cab at time of pull.
4. All trucks must weigh in; weight will be posted on windshield and then classed accordingly.
5. Hitch
  - A. Bumper or Reese type hitch only (no spring dampened DMI single allowed)
  - B. Hitch height 26 inches or lower
  - C. Hitch opening or a clevis must be at least 3"x 3 3/4" opening.
  - D. If hook does not fit, you will not be allowed to pull.
6. Stock OEM front and rear bumper is required.
7. No weights hanging off the front of pickup. (No bars, brackets or boxes allowed). Any weights must be securely fastened. Weights will be allowed on passenger side floor board only.
8. No aftermarket blocks or heads.
9. Must have stock driveline (no prefab style drive lines).
10. Exhaust must be closed and exit behind cab, or will run Pro Stock class.
11. No solid or block suspension of any type, if you have air bag suspension the bags must be deflated.
12. Tires must be DOT approved. (no bar tires)
13. Dual wheels allowed on vehicles manufactured with dual wheels.
14. If anything comes off pickup and hits track, automatic DQ.
15. Failure to comply with any of the rules will result in that vehicle not being able to compete for prize money.
16. Judges, NDWS event chair, directors and inspectors have final say on vehicles.

## STOCK GAS RULES:

1. Must be naturally aspirated, single carb. or factory fuel injection. No dominators or dominator style carbs, no programmers.
2. No nitrous oxide or LP add on.
3. No certified pulling trucks.

## PRO STOCK/SUPER STOCK:

1. Will follow Rough Country Pullers Association rules & regulations.

**Wrist Bands given to –** (no one allowed in arena without wristband).

1. Driver
2. Pit Personnel

**NO ALCOHOL OR DRUG USAGE ALLOWED BY THE PULLERS UNTIL AFTER DONE PULLING FOR THE DAY OTHERWISE YOU WILL BE DISQUALIFIED! NO REFUNDS GIVEN!**

## **NDWS Tractor Pull Registration**

Call Royce @ 701-840-0522 – leave a message or text.

**Must be pre-registered by March 4<sup>th</sup> – No later!**

Only 80 hooks - \$20/hook (2 per tractor)

Check In March 6<sup>th</sup> 10am-12pm – **12pm Deadline for Check In, no exceptions!**

### **Weigh in 10am-12pm**

All tractors must weigh in.

Will be put in class after weigh in.

Scale will be in North lot – (No unloading or parking in NDWS main lots).

### **Classes for Tractor Pull:**

|                   |                   |
|-------------------|-------------------|
| 3500lb Farm Stock | 5500lb Farm Stock |
| 3500lb Improved   | 5500lb Improved   |
| 3500lb Open       | 5500lb Open       |
| 4000lb Farm Stock | 6500lb Farm Stock |
| 4000lb Improved   | 6500lb Improved   |
| 4000lb Open       | 6500lb Open       |
| 4500lb Farm Stock | 7500lb Farm Stock |
| 4500lb Improved   | 7500lb Improved   |
| 4500lb Open       | 7500lb Open       |
| 5000lb Farm Stock | 8500lb Farm Stock |
| 5000lb Improved   | 8500lb Improved   |
| 5000lb Open       | 8500lb Open       |

## NDWS Tractor Pull Rules and Regulations

1. Tractor must be 40 years old or older or newer continuous production models.
2. If any driver pulls over the speed limit of the class, they will be DQ if the first blast is longer than 5 seconds before slowing down or after the second blast. The speed limit is for on the track in the class they are pulling in.
3. Drawbar Requirements:
  - a. For hookup, you must have one of the following:
    - i. A 3" twisted clevis
    - ii. A plate with 3" diameter hole within 1" from rear of plate
    - iii. A 3" diameter hook ring
  - b. The maximum height of drawbar is 20". It will be measured from the top surface of drawbar, pull ring, or the pull point of the bolted tight twist clevis (Whichever one is the highest), in the lightest class the same tractor pulls in. A loose clevis will be measured at the point where clevis pin goes through the drawbar. No further drawbar adjustment of any kind is allowed after weigh in. All drawbars must be at a fixed height and non-adjustable. Example: turnbuckles or other means of quick adjustment of height need to be locked (jam nuts, welding, painting, etc.) to prevent tampering after weigh in. Drawbar height cannot be increased by increasing tire pressure in the tires after weigh in. Tampering with drawbar height after weigh in is illegal and will result in DQ for the event. Spot checking of drawbar height will be done at the sled.
  - c. Point of pull is to be 18" minimum from the center of the rear axle. Point of pull is where the chain hook from the sled engages in the clevis or pull ring.
  - d. Swinging drawbars must be stationary.
4. Your pull will end, and the reading taken if, after 50ft., or any of the following occur:
  - a. The front end raises over 18" during the pull.
  - b. The operator disengages clutch.
  - c. The forward motion of the sled stops.
5. One restart will be allowed only if the tractor has traveled 50' or less. Example: to change gears or change weight location.
6. The tractor must be able to pull the sled 50' or it will be disqualified.
7. The driver must be weighed with the tractor time of the event, on the same scale as their competitors. No tolerance from the certified weight will be allowed. If weight variation from certified weight is greater, the tractor can be DQ, if protested. Another certified tractor in the same class can be weighed to determine scale variation.
8. If anything falls off of the tractor during the time of pull, the tractor is DQ. Time of pull is determined as the time that the hook from the sled is attached to the hook point of the tractor.
9. Anyone modifying base tractor weight after weigh-in will be DQ. There can be no adding of fuel or additional weight after weigh-in.
10. The off track speed limit is 5.0 mph.

**Wrist Band given to –** (without band, you will not be allowed in the arena)

1. Driver
2. Pit Personnel

11. Tire requirements:
  - a. No tire chains
  - b. No duals
  - c. No tracks, track type tractor or 4 wheel drives
  - d. No cane or rice tires
  - e. No steel wheels
12. Anyone not registered by the cut off time will be allowed to pull exhibition at a fee of \$30/class. If all hooks allotted, not filled. The cut off time is an hour before start of the pull. No entries will be allowed after the event has started.
13. Each tractor is to pull in no more than 2 weight classes, 1 pull per person, per tractor, per class.
14. Tractor drivers must be 18 years old or older to pull. Those 18 years old and under will be allowed to pull if they have a written consent from their parent or guardian.
15. Drivers must remain on the operator's platform in the seat with one hand on the steering wheel, having complete control of the tractor during the pull. Bouncing on the seat or hole digging will not be allowed.
16. Hood and grille must be in place to resemble original equipped tractor. There will be no removing of original equipment on the day of pull to make weight class. Examples: mufflers, sheet metal, batteries, front wheels, etc.
17. There will be no refunds made do to unable to continue competition due to mechanical failures.
18. Weight brackets including weights not allowed any further out than 11" from the center of the rear axle or 2' in front of the tractor. Example: If tractor is 10' from the center of rear axle to front, then it falls under the 2' rule.

**NO ALCOHOL OR DRUG USAGE ALLOWED BY THE PULLERS UNTIL AFTER DONE PULLING FOR THE DAY OTHERWISE YOU WILL BE DISQUALIFIED! NO REFUNDS GIVEN!**

**Skid provided by: Avery Romann of Romann Sled Rentals**

